Product Installation Instructions

## The example below uses the RDB40 product executable for the install.

Step #1
Once you have clicked on the link to start the download process, the following screen will appear. Click on the **Save File** button to save the installation file to your local computer. We used Firefox web browser for this example.

Step #2
Once you have clicked on the **Save File** button, choose the directory to which you would like to store the product executable .exe file.


Step #3
Once you have clicked the Save button, the installation file will be downloaded to your local computer. Please be patient during this process.

Step #4

Once the installation file has been completely downloaded, locate the Product Installer .exe on your computer and double-click the .exe file to begin installation.

Click **Run** to start the RDB40 installation.

Step #5

A splash screen will appear and a series of notices informing you of the process being performed. After which the following screen should appear. Click the **Next** button to continue the installation process.


Step #6

Read the *License and Service Agreement* and upon accepting the agreement, click the "I accept the agreement" radio button and click **Next** to continue the installation process.

Step #7

Select the software type you want to install.

- IBM i Machine – Install RDBConnect on a IBM i Machine (AS/400) host.
- PC Component – Install RDBConnect service on a windows PC (Windows 7 or above) to transfer data using ODBC driver. Additional ODBC configuration required for this option.

Step #8

Type the IBM i (AS/400) host **IP** where you wish to install RDBConnect, type a valid **User Profile** and **Password** for the IBM i (AS/400) host computer you are connected to in the space provided. Then click **Next** to continue the installation process.

Step #9

The installation process requires a connection being established to your IBM i (AS/400) host computer.

Once you have verified the connection to your IBM i (AS/400) host, click the **Next** button to continue the installation process.

Note: This installation requires that your PC has an active network connection to your IBM i and that the FTP server on the IBM i is active. You must activate the FTP server on your IBM i by running "*STRTCPSRV *FTP" from a command line.

Note: Installation of RDB requires *IOSYSCFG authority.

A subsystem description called RDBSBS will be created and started during the installation process. More information about RDBSBS can be found at the following link:
http://www.dodbu.com/documentation/RDB_Connect.pdf

Step #10

A connection test will be performed against the IP Address, User ID and Password on the IBM i (AS/400) host computer. This screen will disappear once a connection has been established.


Step #11

If you selected PC Component, this screen will appear to install the RDBConnect shortcuts. Click **Next** to continue installation.

Note: A windows service program will be automatically created and started after the installation is complete if the PC Component checkbox was selected.


Step #12
Click **Install** button to begin the installation process.

Step #13

The installation process will start.

Step #14

This installation progress bar will close after it completes the installation process on the host machine.

Step #15
The last screen that should appear is the **Completion** screen. Press the **Finish** button to complete the installation process.

[Documentation](#) for DBU.

[Documentation](#) for RDB Connect.

[Documentation](#) for SQL/PRO.

[Documentation](#) for DBUnifier.

[Documentation](#) for RDR

If you have any questions please don't hesitate to contact us.

ProData Computer Services, Inc.
2809 S. 160th Street Suite 401
Omaha, NE 68130
1-402-697-7575
1-800-228-6318
1-402-697-7576 Fax
Email: help@prodatacomputer.com